

HP HP
HP HP
HP HP
HP HP
HP HP
HP HP
HP HP

HP HP
HP HP
HP PD-L1
HP
(HP) HP HP
HP HP
HP HP
HP HP
HP HP

Japan Multi-Institutional Collaborative Cohort (JMICC)

4982 3569 5165
(RAPIRAN,) HP
() HP

5 (1988 1944 7 1970 1975 6)
 HP HP
 HP 1988 1944 60% HP
 1970 1975 20% (1)




図 1 : 誕生年による尿中抗 HP

HP

336 (HP 1,688 HP 1,688)

HP 1,688 105 (894 /1000

) HP 1,688 67 (562 /1000

) HP HP

HP

HP

HP

HP

HP

HP

()




図 2 : HP 陽性群と陰性群での
がん非罹患率の比較

(A) **HP** **100%**
(B) **HP** **90 100%** **(B)** **(A)**

HP **HP**

(3)




図 3 : HP 陽性群と陰性群での
がん生存率の比較

(A) **(B)** **(C)** **(D)**
(A) **100%**
(B) **90**
100% **(B)** **(A)**
(D) **(C)** **90 100%**
(D) **(C)**
HP
HP

HP

HP **HP**

159

197

124

HP

HP

HP

HP

HP

HP

HP

HP

HP

/

<https://journals.plos.org/globalpublichealth/article?id=10.1371/journal.pgph.0001125>

0283694

1-1-1

srisizu@ivate.med.ac.jp

kouhou@j.iwate-nedac.jp

iga.sous@adm.nagoya-u.ac.jp

kcho@office.hiroshima-u.ac.jp