

HP HP
HP HP
HP HP
HP HP
HP HP
HP HP
HP HP

HP HP
HP HP
HP PD-L1
HP
(HP) HP HP
HP HP
HP HP
HP HP
HP HP

Japan Multi-Institutional Collaborative Cohort (JMICC)

4982 3569 5165
(RAPIRAN,) HP
() HP

5 (1938 1944 7 1970 1975 6)
 HP
 HP
 HP 1938 1944 60% HP
 1970 1975 20% (1)




図 1 : 誕生年による尿中抗 HP

HP

3376 (HP 1,688 HP 1,688)

) HP 1,688 105 (894 /1000
) HP 1,688 67 (562 /1000
) HP HP

HP

HP

HP

HP

HP

HP

()




図 2 : HP 陽性群と陰性群でのがん非罹患率の比較

(A) 100%
 (B) 90 100% (B) (A)
 HP HP

HP HP

(3)




図 3 : HP 陽性群と陰性群でのがん生存率の比較

(A)(B) (C)(D)
 (A) 100%
 (B) 90
 100% (B) (A)
 (C) 100%
 (D) 90 100%
 (D) (C)
 HP HP

HP

HP

HP

159

197

124

HP

HP

HP

HP

HP

HP

HP

HP

HP

/

<https://journals.plos.org/globalpublichealth/article?id=101371/journal.pgph000125>

0283694

1-1-1

srisizu@ivate.med.ac.jp

kouhou@j.iwate-nedac.jp

iga.sous@adm.nagoya-u.ac.jp

kcho@office.hiroshima-u.ac.jp