



¹GriT-III ²

GriT-III

GriT-III

TNF

NF- κ B

P-gp ³

GriT-III

⁴

GriT-III

(bisecting GlcNAc)

N

P-gp

K562
P-gp **GriI-III** **GriI-III**
P-gp **GriI-III**
GriI-III

JSPS 19H08184, 21K06547, 22K06615, 22K19443

JGlycoNet
(Human Glycome Atlas Project (HGA))

1 **180**

2 GriI-III N-acetylglucosaminyltransferase III
N bisectingGlcNAc N
bisectingGlcNAc
N

3 P-gp P ABC ATP-binding cassette transporters
P-gp
MDR1 Multiple drug resistance 1 ABCB1 ATP-binding Cassette Sub family B
Member 1



4 () N

1
5 TNF : Tumor Necrosis Factor
TNF NF-B

‡

§

DOI: _____






図3. GnT-III遺伝子の導入によるP-gp発現の抑制. A) P-gpの遺伝子であるMDR1のRT-PCR. B) P-gpのwestern blot.

TEL 022 727 0216()
E-mail: jg@tchd.umpu.ac.jp

TEL 082 424 4539()
E-mail: _____

TEL 022 727 0858
E-mail: lcho@tchd.umpu.ac.jp
HP <https://www.tchd.umpu.ac.jp/>

TEL 082 424 3749
E-mail: lcho@officehiroshima-u.ac.jp
HP _____