| 論文発表者 | | | | | | |
|-------|------|-------|-----|---------|----------------------------------|---|
| | Ther | mal I | | tion Ma | nic−inorganic l terials Based | _ |
| | | 5 | 2 | 13 | 15:30 | |
| | | 1 | 114 | | | |
| | | | | | | |

| 論文発表者 | |
|-------|---|
| | Development of Highly Durable Antifogging Materials Based on Polysilsesquioxane with Hydrophilic Groups |
| | 5 2 13 17 00 |
| | 114 |
| | |

| 論文発表者 | | | | | |
|-------|----------------------|-----|----|-------------------------|---|
| | Developn Polymers | | | Semiconducting azole | 9 |
| | 5 | 2 | 20 | 14:30 | |
| | • | 116 | | | |
| | | | | | |

ı

| 論文発表者 | | | | | | | | |
|-------|---|--|--|--|--|--|--|--|
| | Studies on Theoretical Calculation-Based Boron- | | | | | | | |
| | and Tin-Lewis Acidity and Synthesis of - Extended Arylstannanes Based on Transmetalation | | | | | | | |
| | between Arylstannanes and a Copper Catalyst | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | 5 2 20 13:00 | | | | | | | |
| | 116 | | | | | | | |
| | | | | | | | | |

| 論文発表者 | | | | | | | | |
|-------|--------|-------|---|----|-------------------------|-------|--|--|
| | | rol S | | | e-Driven S ection Mo | | | |
| | | 5 | 2 | 16 | 13:00 | 14:00 | | |
| | A1-141 | | | | | | | |
| | | | | | | | | |

| 論文発表者 | | | | | |
|-------|---|---|--------------------|-------------|-------|
| | _ | | ailure P vators | rediction o | of |
| | 5 | 2 | 15 | 11:10 | 12:10 |
| | | | | A1- | 141 |
| | | | | | |

| 論文発表者 | | | | | | | | | |
|-------|--|---|---|----|-------|-------|--|--|--|
| | A Study on Online Adaptation of Autonomous Excavators to | | | | | | | | |
| | Environmental Conditions Utilizing Model and Data | | | | | | | | |
| | | 5 | 2 | 14 | 10:30 | 11:30 | | | |
| | | | | | A1- | 141 | | | |
| | | | | | | | | | |

| 論文発表者 | | | | | | | | |
|-------|-------|--|------|----------|-------------------|--|--|--|
| | | | | _ | on mechanisms for | | | |
| | polai | and | non- | -polar (| organic molecules | | | |
| | in mu | in multi-walled carbon nanotubes-based | | | | | | |
| | gas | sens | ors | | | | | |
| | (| | | | | | | |
| | • | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | 5 | 2 | 10 | 12:50 | | | |
| | | | 3 | | D 72 | | | |
| | | | | | | | | |

| 論文発表者 | | | | |
|-------|---|----|-------------------|------------------------|
| | | | lydroge Fempei | en Adsorption ature |
| | 5 | 2 | 13 | 16 00-18 00 |
| | 1 | 10 | | |
| | | | | |


| 論文発表者 | | | | | | |
|-------|---|--|--|--|--|--|
| | ESTABLISHMENT OF DURABILITY DESIGN | | | | | |
| | TECHNIQUES TO PREVENT SPALLING OF FACADE CLADDING IN RC BUILDINGS | | | | | |
| | (RC | | | | | |
| |) | | | | | |
| | 5 2 15 13:00 | | | | | |
| | A2 641 | | | | | |
| | | | | | | |

| 論文発表者 | | | | | | | | |
|-------|--|----|------------|----|----|----|--|--|
| | Effect of numerous small deformations due to moderate earthquakes on seismic performance of conventional wooden house) | | | | | | | |
| | | 5 | 2 | 10 | 16 | 30 | | |
| | A2 | 64 | 1 1 | | | | | |
| | | | | | | | | |

| 論文発表者 | NAKAYENGA JOYCE | | | | |
|-------|--|--|--|--|--|
| | Reuse of stone powder in slag or cement treated clay (| | | | |
| | 5 2 15 15:00 | | | | |
| | 114 Zoom | | | | |
| | | | | | |

| 論文発表者 | | | | | | | |
|-------|--|---|---|----|-------|----|----|
| | Experimental investigations and numerical models on the influence of channelplanforms and permeable resistance on hydraulic jumps and bores) | | | | | | |
| | | 5 | 2 | 14 | 17 00 | 18 | 30 |
| | 220 | | | | | | |
| | | | | | | | |

| 論文発表者 | | | | | | | |
|-------|---|-----------|-----------------------|----|----|-------|-----|
| | - | | arkov Pr ability A | | | eling | for |
| | 5 | 2 | 15 | 11 | 00 | 12 | 00 |
| | μ | \1 | A1-7 | 31 | | | |
| | | | | | | | |



| 論文発表者 | |
|-------|---|
| | Methods for Robust Training of Deep Neural Networks in the Presence of Noisy Labels |
| | 5 2 10 8 45 10 15 |
| | C 7 C709 |
| | |